This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Problem Image Mailbox.






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4





FIGURE 5






FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11

 1200

1210		220 / 12	30 1	240 125	50 1260
Process Steps	Photo-	Screen-	Etching	Typical	Laser
	Define	Print		Semi-	Patterning
				conductor patterning	
Apply wet metal	Yes	Yes	Yes	No	Yes
Drying of metal/photoresist	Yes	Yes	Yes	Yes	Yes
Exposing of metal or photoresist	Yes	No	Yes	Yes	No
Developing of metal or photoresist	Yes	Yes	Yes	Yes	No
Firing of Metal	Yes	Yes	Yes	No	Yes
Further trimming to obtain	No	Yes	No	No	Limited to
correct dimensions (not RF		limited in			laser spot
trimming)		dimensions			size
Vacuum Metallization (limited	No	No	No	Yes	No
in deposition thicknesses)		,		-	
Chemical Etching	No	No	Yes	Yes	No
Post Annealing/Cleaning	No	Yes	Yes	Yes	Yes

FIGURE 12